

## STATEMENT OF WORK

### 1. General Information

#### a. Project Title:

### **REPLACE ROOF, ADMIN, B2815**

*6650 Ashley Avenue, Fort Moore, Georgia*

#### b. Project Information:

Contract Period	270
Contractor's Project Walk	TBD
Proposal Due	TBD
Contract Start/Award Date	TBD
Construction Start Date	TBD
Construction Completion Date	TBD

#### c. Bid Document Level:

- i. Document level will vary from 0% to approximately 35%. It is the Contractor's responsibility to bring all documents to 100%.

#### d. Bidding Questions

- i. All questions should be submitted in written form either by hand delivered hard copies or electronic mail (e-mail). The Contracting Officer (KO / COR) shall determine the final date for submission of questions.

#### e. Liquidated Damages

In the event of delay (caused by contractor only) in project completion, **REPLACE ROOF, ADMIN, B2815**, the contractor shall pay liquidated damages to government in the amount of \$1,134.18 for the total LD Rate/Day.

## 2. General Requirements

### a. Project Description:

Due to deficient roof and windows, B2815 has had interior water damage. This project is to provide a new PVC roof replacement with a 20-year manufacturer's warranty, window replacement, EIFS/synthetic stucco repair and exterior repainting, remediation of any microbial growth in the interior, repair concrete roofing deck at interior ceiling, repair water intrusion through exterior CMU walls (near windows), replace flashing/membrane around windows. Additional interior repairs include repainting all walls, ceilings, and trim. Flooring to be replaced throughout the building (LVT) and new 4" rubber base.

### 1. Detailed Design Requirements

All design work shall be In Accordance With (IAW) all applicable Federal, State, and Local codes and standards. The following needs to be included in the project documents, drawings, and specifications:

*NOTE: Floorplans or drawings in PDF and AutoCad provided by DPW are taken from original construction documents or previous projects on this building. Please field verify all existing conditions and use current conditions for demolition/existing drawings.*

### a. ROOF:

The project consists of designing the existing roof system for building 2815 (approximately 2,600 sq ft) in entirety and to make necessary repairs of all deficiencies in conjunction with the roof replacements with 80 mil PVC roof with 20-year warranty. Other work required to complete this scope may consist of repairs and/or replacing gutters/downspouts, new sloped insulation, flashing, fascia/soffit, curbs, drains, lightning protection, rotten wood, louvers, roof vents, roof exhausts, antenna, awning, masonry, caulking, sealant degradation, etc.

- i. **Contractor to include price in bid for two (2) third party inspections during roof installation at intervals or time periods determined by DPW Inspection Branch. These comprehensive inspections will include reports with photographs, moisture content testing, and are to list any deficiencies. The final third party inspection will be completed prior to the Pre-Final Inspection.**
- ii. The replacement of certain components may be required based on the type of roof system. All raised mechanical curbs to have correct sloping and drainage of water, add crickets as required and proper flashing. All walking pads to allow water drainage as per manufacturer's instructions. Warranty to include interior repair if needed.
- iii. Return site to pre-construction condition.
- iv. Any existing mechanical found atop the roof shall be disconnected prior to roof system installation and reset-up after new roof system installation. HVAC system

to be reused. Replace treated wood skids (of same length) for the unit to fastened to and sit on, if found present. Ensure line sets are not crimped, return all components to pre-construction condition, and Contractor to verify that the unit is reinstalled and functioning prior to roof work completion

**b. EXTERIOR repairs:**

- i. The building's exterior cladding or E.I.F.S. (Exterior Insulation Finishing System or "stucco look" exterior) needs repairing. Quantify square footage of EIFS repair needed. Exterior to be repainted to match neighboring building B2892.
- ii. Windows will need to be replaced. They will need to be inoperable, but no wire mesh is required. Remove hooks by windows also. Window style and glazing color to match B2892. At center area where windows were infilled on front and rear of building, replace that area (with existing sill) with new windows.
- iii. All sidewalks and steps to be pressure washed. Small flagpole slab and flagpole to be removed at front of building.
- iv. Replace all exterior doors, replace to match existing. New lever style door handles, stainless steel hinges, and kick plate on entrance doors. Doors to be painted. Mechanical access door and frame (and concrete staircase) to be painted building beige color. Entrance doors to be painted dark brown, verify specific color.

**c. INTERIOR repairs:**

- i. Professional Engineer to evaluate few places that water has leaked and exposed rebar in concrete ceiling deck. Recommended repairs to be included as part of this project. Paint and refinish to match surrounding ceiling after repair.
- ii. Interior water intrusion through exterior CMU walls to be repaired on both interior and exterior to prevent reoccurrence. All areas of bubbled or peeling paint to be made smooth and repaired and repainted.
- iii. All new paint on walls, ceilings, and trim. Walls to be painted with Scuff Resistant paint. The major professional paint manufacturers have specific scuff resistant paint. Sample board of all interior finishes to be provided to DPW at 95%.
- iv. New flooring to be Luxury Vinyl Tile, or LVT, installed in all rooms of building. New 4" rubber base to be installed at all locations, typical.
- v. At areas of wood wainscoting and chair rail, prime to receive paint, and paint with paint matching surrounding wall color.

**2. Additional Notes**

- i. Mobilization and lay-down area shall be pre-determined prior to commencement of work. Request guidance from DPW for how to approach the project with material and where to stage materials. Final approval of specific location shall be determined by DPW Real Property.
- ii. Where feasible, the contractor shall secure all materials in a high chain link fenced lay-down area with wide gate near the project site. Sandbag fence

post bases rather than core into the ground.

- iii. The customer shall be notified by contractor of any changes in staging and/or set-up of equipment that may affect parking and daily disruptions to flow in or out of building. Contractor shall establish temporary safety barricades/areas to ensure all persons are safe when loading or off-loading from the roof above.
- iv. Contractor to plan to dispose of leftover furniture in interior. However, **prior** to any disposal beginning, the Building Occupant is to be given 2-3 weeks notice to verify if any interior furnishings are to be kept. The Occupant will be responsible for relocating any retained furniture.
- v. All work will be performed per industry standards or to meet federal, state, or local codes and regulation and also manufacturer's recommendations to not void warranty. Work will not be sloppy or carelessly performed.
- vi. **Any existing mechanical found atop the roof shall be disconnected prior to roof system installation and reset-up after new roof system installation. HVAC system to be reused.** Replace treated wood skids (of same length) for the unit to fastened to and sit on, if found present. Ensure line sets are not crimped, return all components to pre-construction condition, and verify that the unit is reinstalled and functioning prior to roof work completion.
- vii. The mechanical units do not need to remain off-line for a long period of time and shall be returned to pre-construction condition once re-installed.
- viii. Replace all lead boot and/or rubber boot membrane with draw band hardware over existing plumbing vent stacks. Size of boots to vary and shall be specific to field condition.
- ix. All roof replacements shall include all materials of a complete roof system components, hardware, flashing, lightning protection, etc. requirement to fully complete the roof system and ensure roof does not leak prior to customer turnover. Follow all manufacturer's instructions to keep roofing warranty in force.
- x. Where present, contractor shall paint all surfaces to the roof access hatch or metal ladder, and exhaust hood vents (where signs of rust are visible). Clean all surfaces prior to paint. Use a commercial grade product with rust inhibitor.

**a. General Information**

1. The Design, Work/Construction contract requirements are described herein this Statement of Work (SOW) and on the drawings, specifications (as provided, or per the guide specification), and 144R prepared by The Directorate of Public Works (DPW) which is conveyed as 0-35% design.
2. In addition to the SOW, Drawings, Specifications, 144R, the contractor will use when asked to provide 100% designs the resources located on the Whole Building Design Guide website and the Fort Moore – Installation Design Guide.
3. The SOW, drawings, and specifications may not identify all procedures (means and methods) or requirements necessary to accomplish the work. The contractor is expected to follow industry standards or manufactures instructions/recommendations.
4. The contractor will provide all required supervision, labor, materials, and equipment to complete the work.
5. The superintendent will be an individual with a minimum 5 years of experience with jobs of similar type and size. Provide resume of job site supervisors and key personnel. The superintendent will be on the job site when work is being performed and will be available to the Government representatives.

**b. Design and Engineering:**

**i. General**

1. Fort Moore's Directorate of Public Works (DPW) Engineering Division will provide the Contractor a set of 35% construction drawings, specifications, and a SOW. The provided 35% drawings, specifications, and statement of work only convey the Government's concept / intent of the project. It is the Contractor and Architectural and Engineering (A/E) firm responsibility to provide items listed in section 100% submittal. Once the 100% submittal has been approved by the Government, work may begin. If the contractor is provided written approval prior to the start of the work, the contractor may not be required to provide a 100% submittal. The items listed below will be used as a guide for the Contractor and A/E in items that may be needed in the 100% submittal.

- a. The submittals also are to also include, but not limited to:  
Quality Control Plan, Accident Prevention Plan, cost-loaded  
Schedule of Values.**

b. DRAWINGS

- i. The A/E firm will update, provide additional information, and add drawings as required to take the 35% drawings provided by the Government to a 100% set of drawings. Below is a list of drawings that may need to be provided to accomplish a 100% drawing set:

1. All disciplines: completed plans (site and floor), elevations (exterior), sections (site, building and wall), enlarged plans, details (project specific and standard), schedules.\* **All drawings are to incorporate a graphic scale illustrating the true scale of the drawing, so that the print size/scale can be verified.**

\*The items listed above may not address every drawing requirement for a project and is not intended to limit the number of drawings to be provided. Additionally the items listed above may not be required for every project. Contractor's submittals / shop drawings are not considered part of the 100% drawing set.

c. SPECIFICATIONS

- i. The Contractor and A/E will provide any missing specifications for the project. Also the Contractor and A/E will update any specification that requires to be changed due to drawings or other specifications provided by the A/E.

d. CALCULATIONS / PRODUCT INFORMATION

- i. The Contractor and A/E will provide all calculation and product information for the project when not provided in the Government provide information. Calculations and product information may be required for the following, but this list will not limit the requirements to: Civil, Structural, Architectural, and Electrical. Calculations and product information will be provided in an organized and logical manner.

e. COLOR BOARD

- i. Contractor and A/E will provide a color board showing colors or materials selected by the contractor or A/E for the project. Color board will address all items (trim paint, wood or concrete stain, base material or color, ceiling color or material, etc.) required for the project. Government approval is required prior to start of the work, unless written approval from the government is provided.

f. CD

- i. **The contractor and A/E firm will provide a CD with PDFs of the IFC drawings, specifications, calculations and product information. Also on the CD, the contractor will provide CAD files of the 100% drawings.** This is in addition to the as-builts provided at project completion.

- 2. Upon completion of the work the contractor will provide As-Builts and Record Documents consisting of items listed under section Record Document Submittal. The Record Document Submittal will reflect the final design of the facility at the completion of the work.\*

a. AS-BUILTS

- i. Contractor will provide the government approved hard copy of the 100% drawings keep at the site. The hard copy from the site (As-Built) will show any changes or modifications made during construction. Changes or modifications will be marked in red on the hard copy.

b. DRAWINGS

- i. **The Contractor and A/E firm will provide PDFs, hard copies, and CAD files of Record Documents drawings reflecting changes or modifications noted on the As-Builts.** Any changes or modification will be clouded on the Record Documents drawings.

c. SPECIFICATIONS



- i. The contractor and A/E firm will provide updated specifications addressing any changes or modifications made during construction.
- d. CD
  - i. The contractor and A/E firm will provide a CD with PDFs of the Record Documents; drawings and specifications, and the As-Built from the job site. Also on the CD the contractor and A/E firm will provide CAD files of the Record Document drawings.
- e. **DD Form 1354**, Transfer and Acceptance of DoD Real Property, to be included in Closeout Documents.
- f. **All O&M Data to be in a 3-ring binder** with tabs (1 hard copy, 2-CDs)
- g. **All Warranty information** on all products.

*\*The contractor will provide complete sets of drawings, specifications, and As-Built, not just drawing sheets or specifications sections that have changed.*

ii. Design and Engineering Submittal Requirements

1. 100% Submittal

Deliverables	To - DPW
Drawings	<b>3 Full Size sets, 1 half-sized set, and CAD Files</b>
Specifications	1 Set
Calculation / Product Information	1
Color Board	1
CD with all 100% submittal Documentation*	1

\*CD will include PDFs of all files (Drawings and Specifications) and CAD files of the Drawings.

2. Record Document Submittal

Deliverables	To - DPW
As-Built (Red Lined set from construction site)	1 set
Drawings (adjusted per As-Built)	1 Full Size, 1 Half Size, and CAD Files
Specifications	1 Set

CD with all Record Document submittal Documentation*	1
---	---

\*CD will include PDFs of all files (Drawings, Specifications, and As-Builts) and CAD files of the Drawings

- iii. The contractor will submit a Construction Schedule that includes major benchmarks and milestones to provide knowledge of the project and objectives to be completed within the construction time scheduled. The Construction Schedule will be submitted to the Government within 5 (five) days of the notice to proceed for review. The contractor will provide an update schedule if the original schedule is impacted for any reason or if requested by the Government. **Each schedule will include 2 milestone days or DFWs that require 3 phase inspections. After inspection and approval, work may continue. Please show these DFWs on project schedule and coordinate site visits with Inspection Branch.**
- iv. At the pre-construction meeting the contractor will arrange to have a representative of the A/E firm to be present. At the meeting the A/E representative will satisfy themselves with the requirements of the Design and Engineering submittals and the expectations of the Government.

**c. Codes and Standards:**

- i. All work shall be In Accordance With (IAW) all applicable Federal, State, and Local codes and standards including but not limited to:
  - 1. International Building Code (IBC)
  - 2. Installation Design Guide
  - 3. UFC 1-200-01, General Building Requirements
  - 4. UFC 1-300-08, Criteria for Transfer and Acceptance of Military Real Property
  - 5. UFC 3-560-01, Electrical Safety, O&M
  - 6. TM 111 Guidance provided in Fort Moore Environmental Considerations as listed on the projects 144R.

**b. Specifications:**

- i. Refer to the Guide Specifications and the following specification prior to and during all phases of the work:
  - 6. 01 33 00 Submittal Procedures
    - 1. 01 35 26 Governmental Safety Requirements

2. 01 45 00.00 10 Quality Control
3. 01 57 20 00 10 Environmental Protection
4. 01 74 19 Construction and Demolition Waste Management
5. 01 78 00 Closeout Submittals
6. 01 78 23 Operation and Maintenance Data

- ii. When written specifications are not furnished by the Government the contractor's A/E firm will provide missing specifications. Standards of work will be in accordance with industry standards and Fort Moore guide specs as issued by the Savannah District Corps of Engineers.
- iii. Contractor or A/E will deliver any specifications not provided in the bid document specifications. The A/E specifications will be combined with the bid specifications and submitted as one specifications book for the 100% submittal and Record Document submittal.

**c. Preparation:**

- i. Contractor will be responsible for field/site visit to obtain and verify measurements, existing site conditions, dimensions and structural support requirements IAW accepted local, state and federal building practices. All drawings provided to the contractor are for reference/information only and may or may not be current or to scale. Contractor shall provide for any/all deviations to accepted local, state and federal building practices/codes and bring these to the attention of the Construction Inspector and Contracting Officers Representative for review/consideration by the government. Review the project's 144R; Record of Environmental Consideration for compliance prior to initiating any work.

**d. Cost and Pricing:**

- i. Within 48 hours of the bid/proposal date and time the contractor will provide to the Architect/Engineer an itemized list of material and labor cost for review prior to award of the contract.

**e. Coordination with other contractors:**

- i. If other contracts and work are subject to be performed or arise

to address any issues, at the same time as this contract the contractor will cooperate and coordinate work with all parties involved and is now notified of same.

**f. Building Occupancy**

- i. General: The building will **NOT** be occupied during construction.
  1. Areas in which work is required may be occupied or have public or Government presence during the performance of work under any Task Order (TO). Every effort will be made to keep unauthorized personnel from accessing work site. Other maintenance and/or repair construction may also be concurrently being performed at the site by other contractors. The Contractor shall cooperate with the Government to minimize conflict, and to facilitate the Government's operations by scheduling the Work to accommodate Government occupancy.
  2. The contractor will provide notice 14 days prior to the start of the work for any phase of the project to allow the Government to remove any furniture, materials, lockers, equipment, etc. from designated work areas that may impact the work of the contract. Items left in place will be protected during construction.

**g. Salvage:**

- i. Any items identified as salvage and return to the Government or any phrase with the intent to return items to the Government, those items will be protected during removal. The contractor will coordinate turning over those items to the Government.

**h. Disposal of Construction Waste:**

- i. The Contractor will be responsible for removing and disposal of all debris and hazardous waste created by this project, IAW local, state and federal guidelines and laws. The contractor shall dispose of all debris and hazardous waste created by this project in Georgia/Alabama approved Landfill at the contractor's expense. Contractor shall maintain and provide upon request by the KO or the designated representative receipts and haul tickets or bills of lading that construction debris from this contract has

been disposed of IAW with local, state and federal guidelines and laws.

**i. Safety:**

i. General

1. The contractor will comply with all governing codes and standards. Contractor will comply with Fort Moore Safety and Environmental laws and regulations. The contractor shall perform all work IAW government procedures for entering and working at Fort Moore. The government reserves the right to stop work at any time for safety, security reasons, and for national defense at no cost to the government.

ii. Public

1. The Contractor shall conduct his operations to offer the least possible obstruction and inconvenience to the public, vehicular, and the normal day-to-day routine of the Government installation where work is to be performed. Unless safety otherwise prevents such actions, personnel and traffic shall be permitted to pass through the work area with as little delay as possible. Where the nature of construction operations in progress and the equipment and machinery in use are of such character as to endanger passing traffic, the Contractor shall provide such lights and signs, erect such fences or barriers, and station such guards as may be necessary to give adequate warning and to avoid damage or injury to passing traffic. Signs, flags, lights, and other warning and safety devices shall conform to applicable laws, safety regulations and requirements. All lane closures shall be coordinated in advance with the COR/Inspector, traffic engineer and the DES. All traffic control procedures shall be in accordance with GA and/or FL DOT regulations.

iii. Employee

1. In order to provide safety controls for protection to the life and health of employees, and other persons; for prevention of damage to property, materials, supplies, and equipment;

and for avoidance of work interruptions in the performance of this contract, the Contractor shall comply with all pertinent provisions of the U.S. Army Corps of Engineers Safety and Health Requirements Manual EM 385-1-1, as amended. The Contractor will also take or cause to be taken such additional measures as the KO may determine to be reasonably necessary for the purpose.

**j. Accessibility to Work Site:**

- i. Normal Working hours for the Contractor will be 0730 to 1630, Monday through Friday, excluding Saturdays, Sundays, and Federal Holidays. If the Contractor wishes to work during periods other than above, additional Government inspection forces will be required. The Contractor must notify the Contracting Officer (KO) five (5) working days in advance of his/her intention to work during other periods to allow assignment of additional inspection forces when the Contracting Officer determines that the additional inspection force is reasonably available. All inspections will be done during normal duty hours. Due to certain circumstances (i.e., emergencies or urgent requirements), deviation of contractor's working hours will be as indicated in the RTOR.

1. Special applications or situations not covered in this section of the SOW should be referred to DPW for consideration.

**a. Daily Housekeeping:**

- i. The Contractor shall keep work area clean and remove all unneeded construction debris daily and/or as directed by the Construction Inspector, User, or Contracting Officer's Representative.

**b. Required Submittals:**

- i. The contractor will provide submittals according to the specifications or noted elsewhere in this Statement of Work.
- ii. Additional submittals to include but not limited to: **Quality Control Plan, Accident Prevention Plan, cost-loaded Schedule of Values.**

- iii. The Contractor's personnel will compile submittals based on the Specifications or other sections in this Statement of Work. Submittals will be complete before submitting to the Government for review. A complete submittal will consist of all items required for a submittal. Sending information incrementally for one submittal is unacceptable.
- iv. The contractor's personnel or A/E firm will indicate which product will be used when multiple products are listed on a submittal.
- v. The contractor shall make sure all submittals are reviewed by the designer of record (DOR) prior to government acceptance via transmittal. Any submittal transmitted to the government without a DOR review and stamp/signature will be rejected/disapproved.
- vi. The contractor shall provide a submittal register to track and log all submittals between government (DPW) and contracting office (MICC). The contractor shall be responsible for updating the submittal register on a regular basis and provide to government (DPW).
- vii. The contractor shall email or hand deliver all submittals to the contracting officer (MICC) designated for the project. DPW will not accept any submittals unless filtered through MICC first.
- viii. Failure to comply may result in a disapproved submittal.

**c. Special Instruction:**

- i. Contractor will ensure that all individuals associated with the Work adhere to all safety regulations and codes. Construction debris waiting removal from the site will be stored per regulations and codes. Contractor will walk the site prior to leaving for the day to ensure all debris is picked up and disposed of properly.
- ii. The contractor will verify that all Federal, State, Local, and Fort Moore (144R) environmental regulations and code are being followed.
- iii. Omissions from the drawings or specifications or the wrong description of details of work that are manifestly necessary to carry out the intent of the drawings and specifications, or that are customarily performed, shall not relieve the Contractor from performing such omitted or incorrectly described details of the work. The Contractor shall perform such details as if fully and correctly set forth and described in the drawings and specifications.



Directorate of Public Works  
6650 Meloy Dr. Building 6  
Fort Benning, GA 31905

### **Anti-Terrorism (AT) Level I Training**

All contractor employees, to include subcontractor employees, requiring access Army installations, facilities and controlled access areas shall complete AT Level I Awareness training within 30 calendar days after contract start date or effective date of incorporation of this requirement into the contract, whichever is applicable. The contractor shall submit certificates of completion for each affected contractor employee and subcontractor employee, to the COR or to the contracting officer, if a COR is not assigned, within 30 calendar days after completion of training by all employees and subcontractor personnel. AT level I Awareness training is available at the following website: <http://jko.jten.mil>.

### **Access and General Protection, Security Policy, and Procedures**

Contractor and all associated subcontractor employees shall provide all information required for background checks to meet installation access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services or Security Office. Contractor workforce must comply with all personal identity verification requirements (FAR clause 52.204-9, Personal Identity Verification of Contractor Personnel) as directed by DOD, HQDA and/or local policy. In addition to the changes otherwise authorized by the changes clause of this contract, should the Force Protection Condition (FPCON) at any individual facility or installation change, the Government may require changes in contractor security matters or processes.

### **Contractor Employees Requiring a Common Access Card (CAC)**

Only the Contractor's key personnel will be issued a CAC. Before CAC issuance, the Contractor employee requires, at a minimum, a favorably adjudicated National Agency Check with Inquiries (NACI) or an equivalent or higher investigation IAW Army Directive 2014-05, *Policy and Implementation Procedures for Common Access Card Credentialing and Installation Access for Uncleared Contractors*. The Contractor employee will be issued a CAC only if duties involve one of the following: (1) Both physical access to a DoD Facility and access, via logon, to DoD networks on-site or remotely, (2) Remote access, via logon, to a DoD network using DoD-approved remote access procedures, or (3) Physical access to multiple DoD Facilities or multiple non-DoD Federally Controlled Facilities on behalf of the DoD on a recurring basis for a period of six (6) months or more. At the discretion of the Sponsoring Activity, an initial CAC may be issued based on a favorable review of the Federal Bureau of Investigation (FBI) fingerprint check and a successfully completed NACI at the Office of Personnel Management. For contractors that do not require CAC, but require access to a DoD facility or installation. Contractor and all associated sub-contractors employees shall comply with adjudication standards and procedures using the National Crime Information Center Interstate Identification Index (NCIC-III) and Terrorist Screening Database (Army Directive 2014-05/AR 190-13), applicable installation, facility and area commander installation/facility access and local security policies and procedures (provided by government representative).

### **iWATCH Training**

The Contractor and all associated sub-Contractors shall brief all employees on the local iWATCH Army program (training standards provided by the requiring activity ATO). This local developed training will be used to inform employees of the types of behavior to watch for and instruct employees to report suspicious activity to the COR. This training shall be completed within 30 calendar days of contract award and within 30 calendar days of new employees commencing performance with the results reported to the COR NLT 10 calendar days after contract award.





**Directorate of Public Works**  
6650 Meloy Dr. Building 6  
Fort Benning, GA 31905

### **Contractor Employees Requiring Access to Government Information Systems**

The Contractor, to include associated sub-Contractor employees, with access to a Government info system must be registered in the ATCTS (Army Training Certification Tracking System) at commencement of services, and must successfully complete the DOD Information Assurance Awareness prior to access to the information system and then annually thereafter.

### **Operations Security (OPSEC) Training**

IAW AR 530-1, *Operations Security*, all personnel, to include Contractor employees and associated sub-Contractor employees must complete Level I Operations Security (OPSEC) training which is composed of both initial and continual awareness training (annually). All personnel within the first thirty (30) calendar days of arrival in the organization (or TO start date) must receive initial training to include a briefing on the organizations critical information, read/sign the OPSEC Individual User Compliance Agreement form, and send completion to the COR via electronic copy. The end state of initial and continual awareness training is that each individual should have the requisite knowledge to safeguard critical information. Level I OPSEC training is available at the following website:


<https://securityawareness.usalearning.gov/opsec/index.htm>.

### **OPSEC Standing Operating Procedure/Plan**

The Contractor shall adhere to the Government's Operations Security (OPSEC) Standard Operating Procedure (SOP)/Plan during the entire period of performance.

### **Contractor Employees Requiring Information Awareness / Information Technology (IA/IT) Training and Certification.**

The Contractor, to include associated sub-Contractor employees, performing IA/IT functions shall comply with DoD and Army training requirements in DoDD 8570.01, DoD 8570.01-M and AR 25-2 within six (6) months of appointment to IA/IT functions. All contractor employees and associated subcontractor employees shall complete the DoD IA awareness training before issuance of network access and annually thereafter. IAW DoD 8570.01-M, DFARS 252.239.7001 and AR 25-2, the contractor employees supporting IA/IT functions shall be appropriately certified upon contract award. The baseline certification as stipulated in DoD 8570.01-M must be completed upon contract award.



BUILDING: 2815  
FLOOR: 1  
2580 sq. ft.



Thu, Jan 16, 2020 08:50 AM



Wed, May 11, 2016 01:05 PM



Wed, May 11, 2016 01:06 PM